



EXCENTR BADASS BROCHURE



DURABLE



DUTCH



EFFECTIVE

V2 06-26



**SIGNIFICANTLY BETTER PERFORMANCE
IN LESS TIME, AT LOWER COST.**



INDEX

THE EXCENTR METHOD	4
EXCENTR 55-35	6
EXCENTR 43	7
EXCENTR 40-25	8
EXCENTR 40-25B	9
EXCENTR 30-20+	10
EXCENTR 30-20+B	11
EXCENTR 30-20	12
EXCENTR 30-50	13
EXCENTR DAILY RIDER 65	14
EXCENTR DAILY X1	16
EXCENTR DAILY 55-60	18
EXCENTR DAILY 45-40	20
EXCENTR DAILY 45-40 DISC	22
EXCENTR WORKSTATION	24
EXCENTR HANDHERO	25
EXCENTR FRESHBAMBOO FB-M	26
NOTES	28
EXCENTR ACCESSORIES	29
EXCENTR AIR 250	30
EXCENTR AIR 100	32
ESCATEQ	33
EXCENTR CHEMICALS	34
EXCENTR PANOX	35
FLOOR APPLICATIONS	36
EXCENTR DIAMOND SYSTEM (EDS)	40
PAD APPLICATIONS	42
FLOOR TYPES	46
BRANCHES	52
ABOUT US	55
EXCENTR ACADEMY	56
SOCIAL RETURN	57
NOTES	58

THE EXCENTR METHOD



The most effective way of floor cleaning and floor maintenance

The Excentr Method is linked with the revolutionary Excentr machines. It is a highly effective way of floor cleaning and floor maintenance. Our machinery is designed in such a way (e.g. square) that the corners are easily reached.

The pads make 2850 rpm of 7 mm per minute. This makes the mechanical operation unrivalled. In contrast to, for example, rotating single-disc machines, the pad always makes completely flat contact with the floor surface. As a result, these machines are very constant in their cleaning performance and effortless to operate. It is really easy and relaxed to work with the Excentr machines. To guarantee fast and perfect results on almost every floor, the pressure on the pad is adjustable between 17 to 120 kg (depending on the type of machine and number of weights). There are many different pads and accessories to achieve maximum results on every surface.

Benefit 1: Four times faster



The Excentr Method is based on a different movement than traditional cleaning machines make. The mechanical movement that the machine makes is Eccentric, to be precise. The Excentr Method is based on 2850 rpm in small circles of 7 mm.

2850 rpm means that the machines of Excentr generate 15 times more movement than conventional cleaning machines. Because the mechanical effectiveness on the floor (surface) is much higher, results are achieved much faster. This means that usually the work can be done up to 3 to 4 times faster! This makes the system very interesting, because serious time savings are made and the costs per m2 are significantly reduced!

Advantage 2: A unique design



The Excentr Method makes machine cleaning smarter! Round machines always have problems cleaning alongside skirting boards and in corners. This was one of our spearheads in the development of this method. We produce rectangular machines and a number of other machines with special shapes to always offer the right solutions for your challenges. Our rectangular machines clean up to the skirting board and in the corners. In both cases without space in between.

In addition, we have a very special solution for places that are difficult to reach: the Excentr 30-50. The only cleaning machine in the world with a pointed shape! Ideal for cleaning under radiators, cleaning under hanging toilet bowls, but also for example in swimming pools or public transport. In these environments everything is designed in such a way that everything floats free from the floor, and only a few posts make contact. With the pointed shape of the Excentr 30-50, you get everywhere perfectly, between and under!

Benefit 3: Ergonomic and user-friendly

In general, working with cleaning machines is experienced as stressful work for those with less experience. Certainly the single-disc machines require a lot of effort to control, admittedly, for some more than for others. Nevertheless, for both the beginner and the advanced user, there is a considerable profit to be made here! With the Excentr Method you work:

- Relaxed in arms, shoulders and back;
- With a straight back, ergonomic posture;
- Straight forwards (with option to work straight backwards);
- No stress on the wrists.

No training required

Another big benefit for managers who work with a lot of changing personnel is that the Excentr Method does not require (machine) training. The machines are safe, easy and ergonomic to operate from the first minute. The simple concepts developed for cleaning, deep cleaning, stripping, polishing and renovation of floors are chemical-free and based on one or a few steps (pads). This makes it very simple and responsible for people with no or less practical experience.

Benefit 4: Environmentally friendly



A constantly recurring and more important theme is the way people clean in relation to the impact it has on the environment. Not surprising when you consider how many liters of chemicals/ cleaning agent are flushed down the drain worldwide, every day.

At Excentr we are not against the use of cleaning agents, but we are in favour of reducing! Only use detergents when needed and the impact & reduction that can be made is huge. Those who work correctly with the Excentr Method reduce their consumption of chemicals by 95%! That's a big promise, but this is what we have been working on from day one! We develop systems that make the use of cleaning agents and chemicals unnecessary. To realize this we add particles to the pads. Diamonds, aluminum oxide particles, pieces of (recycled and biodegradable) plastic, etc. This ensures:

- Chemical consumption is reduced by 95%
- Cutting costs (no cleaning agent required)
- Avoid risks (no damage due to misuse of chemicals, no slip hazard, paint on skirting boards remains unaffected, no residue after cleaning, no over usage of products, no risk for user)
- Environmentally friendly working

All our pads are Full Cycle® products and are certified by Green Seal™ for Environmental Innovation based on faster biodegradation in landfills and 100% recycled material/natural fiber. In many cases our pads are made from recycled PET bottles.

Benefit 5: Deep cleaning



Difficulties to clean joints? Or problems with cleaning structure in floors? More and more floor manufacturers are moving from smooth to textured floors. Think of PVC floors with a wood look etc. Beautiful, but a challenge for those responsible for the cleaning and maintenance! The Excentr Method is based on a short, small movement of 7 mm in a circle. This movement in combination with our specially developed Excentr Fiber Pad guarantees deep cleaning!



The pride and joy of Excentr

The Excentr 55-35 is the showpiece of Excentr, stainless steel, solid and particularly effective thanks to 2850 movements per minute. The perfect balance and the adjustable handle make working with this machine simple and ergonomic. Anyone can operate this machine, even without experience or technique.

Tools

There are various tools to make the most of the machine's versatility. For example, you can equip the machine with a solution tank, a Splash & Dust Guard, dust extraction, etc. The Excentr 55-35 machines are also connectable. You can work with up to 3 machines (165 cm working width) connected, without any space between the pads and still easy and ergonomically maneuverable for one user.

Variable weight

The Excentr 55-35 weighs 39 kg. (excl. weights) and comes standard with one set of weights of 24 kg. The adjustment of the pad pressure goes per set of weights of 24 kg (2 weights of 12 kg). With extra weights the pad pressure can be adjusted between 39 and 110 kg.



Technical specifications:

Work surface	55 cm x 35 cm 21.7" x 13.8"
Pad pressure	39 kg - 110 kg (59g/cm2) 86 lbs - 243 lbs (0.84 lbs/sq inch)
Sound level	64 dB
Cable length	15 m 49 ft (detachable)
Movement	2850 x 7 mm 3300 x 0.28" p/m
Volt/Hz	230 V/50Hz - 110 V/60Hz

kW	1.1 kW
Protection class	IPX 54
Height floor - motor	35 cm 13.8"
Height floor - handle	125 cm 49.2" max.
Front machine - rear wheel	63 cm 24.8"



SCAN FOR MORE INFORMATION

Combination Eccentric and rotary movements

The Excentr 43 combines the Eccentric motion with a rotary motion as a single-disc machine does. This combination of movements, also called an orbital movement, is very effective on both hard and soft floors. Just like the 55-35 and 30-20+, the Excentr 43 has a variable weight. The pad pressure is by means of weight addition between 38 and 80 kg.

Carpet

With the Excentr 43 you can use a modern form of bonnet cleaning. The rotating movement of the traditional single-disc machine actually pushes all the fibers in one direction. As a consequence, the cleaning result is not optimal and less volume is created in the carpet. Because the Excentr 43 not only turns orbital at 140 rpm but also makes 1400 small Eccentric circles of 2.1 cm, you shake the piles and the microfiber pad scrapes the piles / carpet fibers in all directions. This way of working guarantees a cleaner result and more volume in the piles/fibers.

Wood

Because the Excentr 43 makes a "complex" movement in several directions, it is a very suitable machine for wood. The sanding pattern is very impressive with both coarser and lighter grains (grit) sandpaper and grinding nets. Also for sanding and polishing between steps when working with a belt sander, this machine will amaze you. Even when you want to finish the floor with oil or wax, the machine will not let you down. The machine distributes the product well and rubs the surface perfectly.

Standard with spray system

Thanks to the two movements there is an ideal mix between balance and extreme cleaning power. Working with the Excentr 43 is super easy and very ergonomic. The machine is equipped with a spray system. The water, with or without the addition of a product, is evenly sprayed over the surface in a controlled way. Ideal when you are working on carpet! The Excentr 43 can be used for cleaning, stripping and polishing many floors. The Excentr 43 is equipped with a detachable power cord. In case of damage to the power cord you do not need an electrician, just swap your cord.

Technical specifications:

Work surface	43 cm - 18" inch
Pad pressure	38 kg - 80 kg (56g/cm2) 84 lbs - 176 lbs (0.80 lbs/sq inch)
Sound level	60 dB
Cable length	15 m 49 ft (detachable)
Movement	2850 x 7 mm 3300 x 0.28" p/m
Volt/Hz	230 V/50Hz - 110 V/60Hz

kW	0,75 kW
Protection class	IPX 54
Height floor - motor	37 cm 14.6"
Height floor - handle	125 cm 49.2" max.
Front machine - rear wheel	70 cm 27.6"



SCAN FOR MORE INFORMATION






The alternative for a single-disc machine

With a 43 cm wide scrub deck, the Excentr 40-25 is the alternative to the single-disc machine. Ideal for cleaning, deep cleaning, stripping and light renovation of small to medium-sized surfaces!

The 2850 rpm in combination with a pad pressure of 45 kg guarantees fantastic results in very little time. In addition, the Excentr 40-25 is very easy and ergonomic to use! In most cases you work without the addition of chemicals. In short: all the advantages of the Excentr Method for a very affordable price!

A solution tank can be mounted on the Excentr 40-25.



Technical specifications:

Work surface	43 cm x 25 cm 16.9" x 9.8"
Pad pressure	25 kg - 45 kg (42g/cm ²) 55 lbs - 99 lbs (0.60 lbs/sq inch)
Sound level	60 dB
Cable length	15 m 49 ft (detachable)
Movement	2850 x 7 mm 3300 x 0.28" p/m
Volt/Hz	230 V/50Hz - 110 V/60Hz

kW	0.55 kW
Protection class	IPX 54
Height floor - motor	280 mm 11"
Height floor - handle	1193 mm 47"
Front machine - rear wheel	505 mm 19.9"



SCAN FOR MORE
INFORMATION

Cordless cleaning, deep cleaning, stripping, renovating and more!

Working with an Excentr machine has never been easier; cordless, vibration-free and with 100% results!

The Excentr 40-25B comes with a detachable lithium-ion pack, this pack is good for 30 minutes (up to 45 minutes) fully autonomous working. Want to work longer? No problem, you can easily change packs during your tasks. Charging the Excentr Battery Pack takes 2 hours, but you charge 80% in just 60 minutes. With 3 Excentr Battery Packs you have enough power to work 24/7! Charging is done via the included external charger which can easily be taken from object to object. Nice bonus: The Excentr Battery Pack is equipped with a USB port, so you can charge your phone while working. The 40-25B comes with battery and charger!

With a 43 cm wide scrub deck, the Excentr 40-25B is the alternative to the single-disc machine. Ideal for cleaning, depth cleaning, stripping and light renovation of small to medium surfaces!

The 2850 rpm in combination with a pad pressure of 45 kg guarantees fantastic results in very little time. In addition, the Excentr 40-25B is very easy and ergonomic to use! In most cases you work without the addition of chemicals. In short all the advantages of the Excentr Method for a very affordable price!

A solution tank can be mounted on the Excentr 40-25B.



Excentr
Battery Pack



Technical specifications:

Lithium ion battery	45 min. / 750 m ²
Charging	2 hours (1 hour 80%)
Surface area	43 cm x 25 cm 16.9" x 9.8"
Pad pressure	25 kg - 45 kg (42g/cm ²) 55 lbs - 99 lbs (0.60 lbs/sq inch)
Sound level	58 dB
Movement	2850 x 7 mm 3300 x 0.28" p/m

Volt/Ah	36 V/5.2Ah
Protection class	IPX 54
Height floor - motor	240 mm 9.4"
Height floor - handle	1193 mm 47"
Front machine - rear wheel	505 mm 19.9"



SCAN FOR MORE
INFORMATION



Heavy-duty version of the 30-20

The Excentr 30-20+ is the "heavy-duty" version of the Excentr 30-20 and therefore the 30-20+ is very suitable for basic daily cleaning but also extreme deep cleaning. Thanks to its rectangular shape, this machine is ideal for cleaning along/against skirting boards. The 30-20+ will easily clean the corners and is equipped with a detachable power cord. Because you can also use the 30-20+ without weight, it is a perfect machine to work on stairs and uneven floors. As you are used to from Excentr, the machine is very solid and completely built out of stainless steel.

Weight

The basic version of the 30-20+ weighs 17 kg. By adding the supplied weights, the machine can be made heavier. The maximum pad pressure after adding these weights is 30 kg. Because of this flexible build-up, the 30-20+ is easy to lift.

Ergonomics and transport

The large wheels behind the machine provide perfect balance and hardly any vibrations. Working with the 30-20+ is therefore very easy and ergonomic. The large wheels also serve for easy transport.

Vacuum

At the back of the white plastic bumper of the 30-20+ there is a connection for a suction hose. With this you can easily vacuum dust through the openings that are made in the pad holder and you can work dust-free.



Technical specifications:

Work surface	30 cm x 20 cm 11.8" x 7.9"	kW	0.37 kW
Pad pressure	17 kg - 30 kg (50g/cm ²)	Protection class	IPX 54
	37 lbs - 66 lbs (0.71 lbs/sq inch)	Height floor - motor	280 mm 11"
Sound level	60 dB	Height floor - handle	1193 mm 47"
Cable length	15 m 49 ft (detachable)	Front machine - rear wheel	411 mm 16.2"
Movement	2850 x 7 mm 3300 x 0.28" p/m		
Volt/Hz	230 V/50Hz - 110 V/60Hz		



SCAN FOR MORE INFORMATION

The battery version of the 30-20+

The Excentr 30-20+B is the battery version of the 30-20+. This makes the 30-20+B very suitable for locations with many obstacles or for the user who values fully autonomous working. Its rectangular shape makes it ideal for cleaning against skirting boards and in corners. With one battery, 30 minutes (up to 45 minutes) of intensive work can be done. Charging the Excentr Battery Pack takes 2 hours, but you charge 80% in just 60 minutes. With 3 Excentr Battery Packs you have enough power to work 24/7! Because you can also use the 30-20+B without weight, it is a perfect machine to work on stairs. As you are used to from Excentr, this machine is also very solid and completely made of stainless steel. The 30-20+B comes with battery and charger!

Weight

The 30-20+B in the basic version weighs 17 kg. With the supplied weights the machine can be weighted. The maximum pad pressure after mounting these weights is 30 kg.

Ergonomics and transport

The large wheels behind the machine provide perfect balance and hardly any vibrations. Working with the 30-20+B is therefore very easy and ergonomic. The large wheels also serve for easy transport.



Excentr
Battery Pack



Technical specifications:

Lithium ion battery	45 min. / 475 m ²	Volt/Ah	36 V/5.2Ah
Charging	2 hours (1 hour 80%)	Protection class	IPX 54
Work area	30 cm x 20 cm 11.8" x 7.9"	Height floor - motor	238 mm 9.4"
Pad pressure	17 kg - 30 kg (50g/cm ²)	Height floor - handle	1193 mm 47"
	37 lbs - 66 lbs (0.71 lbs/sq inch)	Front machine - rear wheel	411 mm 16.2"
Sound level	58 dB		
Movement	2850 x 7 mm 3300 x 0.28" p/m		



SCAN FOR MORE INFORMATION

The most compact Excentr

The Excentr 30-20 is the most compact version of the Excentr. Very suitable for cleaning small or difficult areas. Used by many professionals as a supporting machine for the Excentr 55-35 for edge build-up and difficult corners. The Excentr 30-20 is also an ideal machine for cleaning stairs. The machine is completely made of stainless steel and designed according to the principles of Excentr: extremely solid and user-friendly.



Technical specifications:

Working surface	30 cm x 20 cm 11.8" x 7.9"	kW	0.37 kW
Pad pressure	16 kg (27g/cm ²)	Protection class	IPX 54
	35 lbs (0.38 lbs/sq inch)	Height floor - motor	31 cm 12.2"
Sound level	60 dB	Height floor - handle	115 cm 45.3"
Cable length	15 m 49 ft (detachable)	Front - rear machine	23 cm 9.1"
Movement	2850 x 7 mm 3300 x 0.28" p/m		
Volt/Hz	230 V/50Hz - 110 V/60Hz		



SCAN FOR MORE
INFORMATION

Designed for sanitary and kitchen floors

The Excentr 30-50 is the eye-catcher of the Excentr family. Thanks to its shape and movement this machine is absolutely unique in the market. Designed for cleaning sanitary areas (thanks to its shape also behind and under toilet bowls), non-slip floors in kitchens, etc. The machine is completely made of stainless steel and designed according to the principles of Excentr: extremely solid and user-friendly.



Technical specifications:

Working surface	30 cm x 50 cm 11.8" x 19.7"	kW	0.37 kW
Pad pressure	18 kg (17g/cm ²)	Protection class	IPX 54
	40 lbs (0.24 lbs/sq inch)	Height floor - motor	31 cm 12.2"
Sound level	60 dB	Height floor - handle	0 - 115 cm 0 - 45.3"
Cable length	15 m 49 ft (detachable)	Front - rear machine	50 cm 19.7"
Movement	2850 x 7 mm 3300 x 0.28" p/m		
Volt/Hz	230 V/50Hz - 110 V/60Hz		



SCAN FOR MORE
INFORMATION

Productivity, reliability and ease of use

Large floor areas require a cleaning solution that combines productivity, reliability and ease of use. The new Excentr Daily Rider 65 cleaning machine is designed exactly for that purpose.

With its compact design, excellent maneuverability and powerful cleaning performance, this machine allows operators to clean large surfaces quickly and efficiently. Ideal for environments such as warehouses, production halls, hospitals, exhibition centers and shopping malls, it delivers consistent results while keeping operator comfort and safety at the center of the design.

Powered by electric drive technology and engineered for intensive daily use, this machine brings the proven Excentr Method to large surface cleaning.

Designed for Performance and Flexibility

The Excentr Daily Rider 65 is engineered to adapt to different cleaning environments and working conditions.

Several battery configurations are available, ranging from 80 Ah up to 250 Ah, providing operating times from approximately 1.5 hours up to 6 hours depending on the configuration. An integrated charger is included as standard, with a fast external charger available as an option.

The machine features a large 95 liter clean water tank and a 104 liter recovery tank, ensuring long working intervals without frequent refilling. Smart systems such as corner speed reduction and automatic water reduction in sharp turns help operators maintain control while optimizing water usage.

With a low noise level of only 63 dB, the machine is also suitable for noise sensitive environments such as hospitals or public buildings.



Powered by Excentr Method

What truly makes this machine unique is the integration of the Excentr Method. Instead of traditional rotating brushes, the machine is equipped with two diagonally positioned counter rotating Excentr pads. This system combines high pad pressure with thousands of small orbital movements per minute. The result is a deep and highly efficient cleaning action that removes dirt more effectively than traditional scrubber dryers.

Because of this Method, cleaning can often be done with little to no chemicals. This reduces operational costs, lowers environmental impact and improves working conditions for operators.

Key advantages of the Excentr Method include:


- deeper mechanical cleaning action
- reduced or chemical free cleaning in many situations
- lower water consumption
- improved floor safety due to better dirt removal
- faster cleaning results with less effort. With a productivity of up to 3900 m² per hour, the machine offers the performance required for demanding professional environments.

Optional Equipment

To further increase usability and flexibility, several optional features are available:

- Chemical dosing system with integrated 2.5 liter container
- Spray lance for targeted cleaning
- Warning beacon for increased visibility in busy environments
- Dual USB charging ports
- Increased pad pressure configuration
- External fast charger
- X1 Storage Holder

These options allow the machine to be configured for specific industries and cleaning challenges.



Technical specifications:

Battery options	80 to 150 Ah (working hours 1.5 to 3)	Sound level	63 dB
Charger	Standard Built-in 11A 110 - 240v 50/60Hz (External charger: 30A available)	Movement	2400x7mm 0.28" p/m
Charging	2 ½ to 21 hours depending on charger	Volt/Ah	24Vdc/65A max
Work surface	65 x 32 cm 25.6" x 12.6" Diagonally divided into two pads	Protection class	IP 54
Pad pressure	60 – 72.5 kg (29-35 gr/cm ²) Optional up to 12.5 Kg	Floor-tank height	121 cm 47.6"
	132 – 160 lbs (6.5-8.0 oz/sq in) Optional up to 27.5 lbs	Height floor - handle	116 cm 45.7"
Productivity rate	Up to 3900 m ² /hour Up to 41,979 sq. ft/hour	Maximum climbing capacity during operation:	3%

Machine length	147 cm 57.9"	Traction power	Up to 250 W max
Tank capacity (clean water)	95 L 25.1 gal	Water pump	Up to 3.8 L/min 1.0 gal/min max
Tank capacity (dirty water)	104 L 27.5 gal	Chemical Pump	Yes and jerrycan holder 2.5L
Squeegee width	80 cm 31.5"		5.9 km/h 0.66 gal 3.7 mph
Vacuum power	400 to 550 W	Maximum driving speed:	Yes, minimum 25% during sharp turns
Brush power	540 to 720 W	Corner speed reduction:	



SCAN FOR MORE
INFORMATION

Redefining the quality standards in Micro-Scrubbers!

Proudly designed in The Netherlands to meet the highest standards of quality, performance, and sustainability. Crafted with precision, to guarantee durability like never before! The Excentr Daily X1 is crafted from aerospace-grade aluminum, resulting in a lightweight (14kg) yet robust construction that can withstand the demands of daily use in commercial and industrial settings. The Excentr X1 is designed for the daily cleaning of small to medium sized objects. The Excentr X1 is designed for the daily cleaning of small to medium sized objects.

Different programs

But that's not all! The Excentr Daily X1 offers two different programs to suit your cleaning needs:

Standard Mode: Operates at 200 RPM with 85% of the suction power, delivering efficient cleaning performance for everyday tasks.

Rocket Mode 🚀🚀 : Boost cleaning power to the next level! In Rocket Mode, the Excentr Daily X1 runs at 400 RPM with maximum vacuum power, tackling even the most stubborn dirt and grime with ease. Rocket mode can also be used to clean and polish natural stone in one passage!

We designed our own brushless motors.



Technical specifications:

Performance	1,300 m ² 13,993 sq. ft per hour	clean water	5 ltr. 1.3 gal
Brush Pressure	23 kg 51 lbs	waste water	9 ltr. 2.4 gal
Work Width	45 cm 17.7"	materials	PA66+25GF ; aluminum
Dimensions Machine	38 x 51 x 112 [L x W x H] cm	power source	Li-Ion battery [2 pcs]
	15" x 20.1" x 44.1" [L x W x H]	batteries	18 V - 9.0 Ah per battery
Weight Without Batteries	15 kg 33 lbs	weight batteries	1.5 kg 3.3 lbs per battery
Weight Optional Weights	2.5 + 2.5 kg 5.5 + 5.5 lbs	brush motor	200 [2 pcs] Watt

Intuitive Cleaning Speed:

Take control of your cleaning process with the Excentr Daily X1's intelligent cleaning speed control. Whether you need to cover a large area quickly or focus on stubborn stains, you can tailor the machine's speed to suit your needs, ensuring efficient and effective cleaning every time.

Minimum unexpected downtime:

The Excentr Daily X1 is equipped with a floater in the waste water tank, ensuring hassle-free operation by preventing overflowing and potential damage to the machine.

Waterproof Vacuum Motor:

The Excentr Daily X1 features a waterproof vacuum motor that is specially designed to withstand exposure to moisture and liquids, ensuring reliable suction power even in challenging environments.

Battery Management System (BMS):

The Excentr Daily X1's batteries are equipped with a sophisticated Battery Management System (BMS) that monitors and regulates power usage, ensuring optimal performance and extending battery life.



Turbine	200 [max. 300] Watt
Running Time	max. 60 min.
Charger	110 - 240 V - 50/60 Hz

Easy-to-Swap Power Tool Batteries:

Enjoy uninterrupted cleaning power with the Excentr Daily X1's dual power source. Running on two easy-to-swap power tool batteries, this machine provides enough power to work for up to 90 minutes on a single charge.

Water resistant control Box:

The Excentr Daily X1 is equipped with a water resistant control box that shields sensitive components from water and debris, ensuring uninterrupted operation in any environment. This added layer of protection enhances the machine's reliability and durability, allowing you to clean with confidence.

Unmatched Reliability:

When it comes to reliability, the Excentr Daily X1 stands tall as the pinnacle of excellence in micro-scrubber technology. Engineered with a commitment to reliability and longevity, this exceptional machine boasts a range of features that ensure consistent and dependable performance, making it the world's most reliable micro-scrubber.



SCAN FOR MORE
INFORMATION

Fast results on all hard surfaces

The Daily 55-60 is a powerful scrubber for medium and large surfaces. The 55 cm wide eccentric scrub deck provides exceptional and fast results on all hard surfaces. One of the great advantages of the eccentric scrub deck is that this method always deep cleans. As a result, joints and structured floors are cleaned in every passage.

Despite its large 60 liter clean water tank, the scrubber is easy to manoeuvre and, thanks to the driven wheels, very light to use. Filling the Excentr Daily 55-60 is easy via the internal filling hose. To prevent overdosing of detergent, the machine can be equipped with a dosing system. The Excentr Daily 55-60 is available with a lithium ion battery, iron phosphate battery and a gel battery. Ask us for the possibilities.

Excentr HEAVY option - No job too heavy

This all-rounder is standard equipped with the Excentr HEAVY option. With the push of a button you can increase the RPM and suction power to achieve maximum results. This option is ideal for workshops, industrial floors and other surfaces where the dirt is above average.

For those who need more cleaning power, there is a weight available as an accessory which can be placed on the scrub deck. This increases your brush or pad pressure and thus your result.

These options make the Daily 55-60 scrubber excellent for daily cleaning, heavy duty cleaning, periodic cleaning and specialist cleaning.

Dutch quality product

The Excentr Daily 55-60 scrubber driers are produced by hand in our own factory in The Netherlands (Heinkenszand)! We produce only with quality components of stainless steel, aluminum and rotational molded plastics. We therefore give a standard 2-year warranty on everything we produce!



80Ah Lithium Iron Phosphate
(Art. 205386) → Runtime: 2-3 h



150Ah Lithium Iron Phosphate
(Art. 205388) → Runtime: 3.5-4 h



Technical specifications:

Battery options	50 to 210 Ah (working hours 2 to 7)	Sound level	68 dB
Charger	Onboard, 10A (25A available on request)	Movement	2400x7mm 0.28" p/m
Charging	5 to 21 hours	Volt/Ah	24Vdc/29 A to 39 A max
Work surface	55 x 28 cm 21.7" x 11"	Protection class	IP 54
Pad pressure	35 - 55kg (23-35.7 gr/cm2)	Floor-tank height	90cm 35.4"
	77 - 121 lbs (0.33 - 0.51 lbs/sq inch)	Height floor - handle	112cm 44.1"
Productivity rate	2000 to 3200 m2/hr		
	21,528 to 34,445 sq. ft/hr		

Machine length	113cm 44.5"	Traction power	Up to 250 W max
Tank capacity (clean water)	55 L 14.5 gal	Water pump	Up to 3.8 L/min 1.0 gal/min max
Tank capacity (dirty water)	65 L 17.2 gal	Chemical Pump	Yes and jerry can holder
Squeegee width	80 cm 31.5"		2.5L 0.66 gal
Vacuum power	400 to 550 W		
Brush power	450 to 650 W		



SCAN FOR MORE
INFORMATION

Perfect for small to medium sized areas

Built with the same durability and power that Excentr is known for, the Excentr Daily 45-40 is perfect for small to medium sized areas. With a 43cm-wide scrub deck, it's easy to manoeuvre around tight spaces and get up close to baseboards and corners.

The Excentr Daily 45-40 is designed with a flip-up scrub deck, making it quick and easy to change pads. With traction on the wheels, this machine is highly maneuverable and can easily navigate even the toughest environments.

Basic and Heavy setting

The pre-programmed settings make it easy to switch on all functions with just one push of the "Basic" button, and for more demanding jobs it has the "Heavy" setting. In this heavy cleaning mode, the vacuum and scrubbing power is 40% more powerful and ensures that no job is too tough!

Demonstration

If you have any questions or need help finding the perfect solution for your cleaning needs, don't hesitate to contact us!

Capacity

The Excentr Daily 45-40 has a clean water tank with a 40-liter capacity, allowing for extended periods of use. With a powerful vacuum and a big opening in the waste water tank, cleaning up after use is quick and easy. Depending on your preference, the on-board charger is suitable for different types of batteries, such as lithium iron, gel and lead. Like all Excentr machines, the Excentr Daily 45-40 is built to last, with a durable construction that ensures years of reliable use.



80Ah Lithium Iron Phosphate
(Art. 205386) → Runtime: 2-3 h




150Ah Lithium Iron Phosphate
(Art. 205388) → Runtime: 3.5-4 h



Technical specifications:

Battery options	50 to 210 Ah (working hours 2 to 10)
Charger	Onboard, 10A (25A available on request)
Charging	5 to 21 hours
Work surface	43 x 25 cm 16.9" x 9.8"
Pad pressure	25kg (23.5 gr/cm ²) 55 lbs (0.33 lbs/sq inch)
Productivity rate	850 to 1800 m ² /hr (2 to 4.2 km/h) 9,149 to 19,375 sq. ft/hr (1.2 to 2.6 mph)

Sound level	67 dB
Movement	2400x7mm 0.28" p/m
Volt/Ah	20A to 32A max
Protection class	IP 54
Floor-tank height	84 cm 33.1"
Height floor - handle	106 cm 41.7"



Machine length	100cm 39.4"
Tank capacity (clean water)	40 L 10.6 gal
Tank capacity (dirty water)	45 L 11.9 gal
Squeegee width	80 cm 31.5"
Vacuum power	150 to 200 W
Brush power	200 W



Traction power	Up to 200 W max
Water pump	Up to 2 L/min max 0.53 gal/min max
Chemical Pump	N/A



SCAN FOR MORE
INFORMATION



Harnessing the power of brush rotation

The robust Excentr 45-40 disc is crafted with durability and the robust performance that defines the Excentr Brand, but this time with a round disc. Ideal for cleaning medium-sized spaces, this machine offers great cleaning power due to the high brush or pad pressure of maximum 37,5kg.

Its balanced design enables effortless maneuverability and guarantees ergonomic use for every cleaning professional. Harnessing the power of brush rotation, the machine propels itself forward, streamlining your cleaning process with efficiency and ease.

Dependable performance

Equipped with a 46 cm / 18" disc (brush or pad), that can operate at two different speeds / RPM. 150 or 190 RPM depending on your settings (basic or rocket mode). With a generous 40-liter clean water tank capacity, the Excentr Daily 45-40 disc facilitates extended usage periods.

Its powerful vacuum ensures clean and dry results and a spacious waste water tank opening streamlines post-cleaning cleanup. The on-board charger is compatible with various battery types including lithium iron, LiFePo₄, gel, and lead.

True to the Excentr legacy, the Excentr Daily 45-40 disc is a real "badass", guaranteeing years of dependable performance.

Capacity

The Excentr Daily 45-40 disc has a clean water tank with a 40-liter capacity, allowing for extended periods of use. With a powerful vacuum and a big opening in the waste water tank, cleaning up after use is quick and easy. Depending on your preference, the on-board charger is suitable for different types of batteries, such as lithium iron, gel and lead. Like all Excentr machines, the Excentr Daily 45-40 disc is built to last, with a durable construction that ensures years of reliable use.



80Ah Lithium Iron Phosphate
(Art. 205386) → Runtime: 2-3 h



150Ah Lithium Iron Phosphate
(Art. 205388) → Runtime: 3.5-4 h



Technical specifications:

Battery options	50 to 210 Ah (working hours 2 to 10)	Sound level	67 dB
Charger	Onboard, 11A (25A available on request)	Movement	150 rpm / rocket mode: 180 rpm
Charging	5 to 21 hours	Volt/Ah	max 23A
Work surface	46 cm / 18inch	Protection class	IP 54
Pad pressure	25kg / 37,5kg (23.5/35,25 gr/cm2)	Floor-tank height	84 cm 33.1"
Productivity rate	850 to 1800 m2/hr (2 to 4.2 km/h)	Height floor - handle	106 cm 41.7"

Machine length	110cm 43.3"
Tank capacity (clean water)	40 L 10.6 gal
Tank capacity (dirty water)	45 L 11.9 gal
Squeegee width	80 cm 31.5"
Vacuum power	150 to 200 W
Brush power	350 W



SCAN FOR MORE
INFORMATION



Cleaning, foaming, disinfecting and rinsing with only one machine

Cleaning, foaming, disinfecting and rinsing walls, floors and sanitary facilities has never been easier! With the Excentr Workstation you work effortlessly and contactless:

- toilet groups
- shower facilities
- slaughterhouses
- swimming pools
- saunas
- (industrial) kitchens

The Excentr Workstation is equipped with 3 different dosing valves. This means that you can switch between 3 different products. Useful when you want to degrease, decalcify and then disinfect in sanitary areas. The built-in wastewater tank and suction unit ensure that you can vacuum the room dry as with a wet-vac and leave the room ready for use. The Excentr Workstation can also be used as a carpet cleaning machine (spray extraction method).



For stairs, kitchen worktops, window sills, etc.

The Excentr HandHero is designed for working on stairs, kitchen worktops, window sills, table tops, etc. The possibilities are endless. With 2850 rpm and almost 20 kg of pressure, this is a valuable machine for many professionals. The machine is completely made of stainless steel and designed according to the principles of Excentr: extremely solid and user-friendly.



Technical specifications:

Power consumption	1700 W / 230 V	Pump pressure	2-14 bar 29 - 203 psi
Vacuum power	25 kPa	Cable length	15 meters 49 ft
Tank capacity (clean water)	35 L 9.2 gal	Weight	39 kg 86 lbs
Tank capacity (dirty water)	40 L 10.6 gal	Dimensions l / w / h	82 / 41 / 84 cm 32.3" / 16.1" / 33.1"



SCAN FOR MORE
INFORMATION

Technical specifications:

Work surface	30 cm x 20 cm 11.8" x 7.9"	Volt/Hz	230 V/50Hz - 110 V/60Hz
Pad pressure	16 kg (27g/cm2) 35 lbs (0.38 lbs/sq inch)	kW	0.37 kW
Sound level	60 dB	Protection class	IPX 54
Cable length	15 m 49 ft (detachable)	Height floor - motor	31 cm 12.2"
Movement	2850 x 7 mm 3300 x 0.28" p/m		



SCAN FOR MORE
INFORMATION

Revolutionize your cleaning routine with our FreshBamboo line!

Crafted with the environment in mind, this cutting-edge solution combines sustainability, durability, and functionality like never before.

Eco-Friendly Materials: Say goodbye to plastic and hello to bamboo! Our cleaning trolley is constructed using sustainable bamboo, a rapidly renewable resource that reduces your carbon footprint while providing exceptional strength and longevity. Did you know the bamboo used in our trolley has a negative CO2 emission, eliminating -6,25 kg of CO2e from the air! (full LCA available)

Earth-Conscious Design: Join the movement towards a greener future! Our trolley features a sleek and ergonomic design that maximizes efficiency while minimizing environmental impact. From the wheels to the handle, every component is thoughtfully crafted with sustainability in mind. Did you know our trolley has a total CO2e of just 36.37 kg, similar to driving an average car for 182 km! (hybrid, diesel, petrol, 200g/km)



Versatile and Practical: Whether you're cleaning offices, hotels, or homes, our bamboo cleaning trolley is your ultimate companion. With storage space for cleaning supplies, tools, and accessories, you'll have everything you need at your fingertips to tackle any task with ease.

Easy to Clean and Maintain: Keeping your cleaning equipment clean has never been simpler! Bamboo's natural resistance to moisture and bacteria makes it a breeze to maintain, ensuring your trolley stays pristine for years to come.



Elevate Your Cleaning Experience: Stand out from the crowd with our Sustainable Bamboo Cleaning Trolley. Not only does it enhance the efficiency of your cleaning routine, but it also demonstrates your commitment to sustainability and responsible stewardship of the planet.

Join us in embracing a cleaner, greener future. Choose the Sustainable Bamboo Cleaning Trolley and make a positive impact today!



Size specifications (cm):

Length	107
Width	54
Height	102

Capacity per drawer:

Length	55
Width	23
Height	24

Weight (kg) & CO2 specifications:

Bamboo	20	-6,246
Pet Felt	3	26,967
Olefins	0,8	2,744 ¹
SS	2,19	13,480 ²
Plastic	1,45	2,465 ³

Total	27,44 kg	39,401*
-------	----------	---------

Size specifications (inch):

Length	42.1"
Width	21.3"
Height	40.2"

Capacity per drawer:

Length	21.7"
Width	9.1"
Height	9.4"

Weight (lbs) & CO2 specifications:

Bamboo	44.1 lbs	-6,246
Pet Felt	6.6 lbs	26,967
Olefins	1.8 lbs	2,744 ¹
SS	4.8 lbs	13,480 ²
Plastic	3.2 lbs	2,465 ³

Total	60.5 lbs	39,401*
-------	----------	---------



SCAN FOR MORE INFORMATION

NOTES

EXCENTR ACCESSORIES



There are several handy accessories available from at Excentr. The Splash & Dust Guard, for example, is for working without splash or airborne dust, the XL tool for connecting machines. Below are the most popular tools:


Excentr solution tank 12L

Dose and distribute your water perfectly with the 12 litre Solution Tank. This tank is easy and without tools to mount on the Excentr machine.




Excentr solution tank 3L

The compact tank has a capacity of 3 litres, and a convenient filling hose for easy filling of the Excentr Solution tank.



Excentr xl tool

Working at 110 or 165 cm width. Connect more machines and experience the ease and speed with which you clean or treat your surface!



Excentr weight

To create extra pad pressure on your Excentr machine, the Excentr Weight (2 weights of 12kg) is the right solution.



Excentr Battery Pack

Good for +- 30 minutes (up to 45 minutes) fully autonomous work. 3 Excentr Battery Packs are enough for you to work 24/7!



Excentr splash & dust guard

Use the Excentr Splash & Dust Guard when you want to work with a lot of water or dry. The Guard protects you against splashing water.




Excentr connector

Operate two or even three machines at the same time, using only one cord. Ideal in combination with the Excentr XL TOOL.



Excentr grip

The hooks provide good grip and even pressure on the pad and is more resistant to chemicals than previous pad holders.



Excentr dust control

Vacuum up swirl dust that is released from dry stripping and sanding, etc. Use in conjunction with the Excentr Splash & Dust Guard.



Destroys more than 99.97% of viruses (including coronavirus) and bacteria.

The Excentr Air 250 by Rensair destroys viruses and bacteria while most conventional air purifiers simply collect and trap. It is a patented solution that uses the most advanced purification technology incl. HEPA13 filters and UVC light.

Excentr's Air 250 unique composition of the technology makes the difference. The position of the UVC light directed on the filter surface puts trapped pollutants under constant exposure. This exposure breaks down the DNA and RNA hence destroying all trapped pollutants.

Destruction on the filter surface further reduces the potential for contact with hazardous material during filter change.

Excentr's ability to destroy more than 99.97% of airborne viruses (incl. coronavirus) & bacteria has been documented by independent laboratories.




How the Excentr Air Solution works:

1. The Excentr Air 250 takes in ambient air from the top and it travels through a pre-filter, trapping larger particles and dust. The pre-filter is easy to remove from the top of the Excentr Air 250 to clean and will not have to be changed.

2. A powerful fan (up to 560 m³/hour, 20,000 ft³/hour, 155 litre/second) pushes the air into a cylinder-shaped HEPA 13 filter below. The fan is a key component of the design. An extremely high static air pressure is created in the cylinder due to the high quality of the HEPA filter, and hence a strong fan is necessary.

3. As particles hit the inside surface of the HEPA 13 filter, bacteria, viruses and other airborne micro-organisms are stopped. The continued air flow keeps the microorganisms stuck on the filter surface while the UVC lamp, placed in the centre of the cylinder, continuously illuminates the entire filter surface, thereby "disinfecting" the surface by destroying the DNA in bacteria, viruses, etc. Destruction on the filter surface further reduces the potential for contact with hazardous material during filter change.

4. A large volume of clean air leaves the Excentr Air 250 at 360 degrees.



Hospital-grade technology

HEPA13 filters and ozone-free UVC light



Documented effectiveness

Tested by independent laboratories



Patented solution

Unique system delivers industry-leading effectiveness



Plug & play

No installation required, simply plug it in



Large cleaning capacity

Cleans 560m³/hour (20,000ft³/hour)



Low maintenance

9,000h (~1 year) continuous run time



Viruses



Bacteria



Pollen



Mould/Yeast



Dust/Allergens



Odours

Technical Specifications:


Dimensions l/w/h 42 / 42 / 80 cm
Weight 18 kg
Sound level 50 - 67 dB
Cable length 2 m

Volt/Hz 230 V/50Hz
Onderhoud Every 9000 hours
Capaciteit 560m³/hour (20,000ft³/hour)
Filter HEPA13 filter and ozone free UVC light




SCAN FOR MORE INFORMATION

Excentr effectively kills airborne particles



Excentr removes bacteria and virus colonies to undetectable levels






SCAN FOR MORE
INFORMATION

The ultimate solution for small to medium-sized areas

It is equipped with an innovative filter system - including a certified H13 HEPA filter, active carbon filter, cold catalyst filter, UV-C sterilization and purification with negative ions. Contamination like dust particles are collected in the pre-filter which can easily be cleaned. The cold catalyst filter and active carbon filter absorb volatile organic compounds such as aldehyde and benzene and are effective against odors, dust, pollen, viruses, bacteria, cigarette smoke and much more. The certified HEPA 13 filters and the antibacterial filter eliminates 99.99% of all remaining (virus) contaminated aerosols, bacteria, pollen, allergens, particulate matter and many other harmful substances from the air. All filters, excluding the aluminum pre-filter, must be replaced every 6 months. All based on continuous use. The discharged air receives a charge of negatively charged ions. These help the body to absorb oxygen better and produce less histamine. They reduce complaints of hay fever, asthma, respiratory allergies, headaches and fatigue. They increase concentration, improve the body's immune system and increase resistance to disease.



Technical specifications:

Dimensions l / w / h	40 / 20 / 60 cm	Filter performance	PM 2.5 – 99.99% HEPA-H13
Weight	9.7 kg	Air flow rate	388m3/h
Effective area	MAX. 100 m2	Approvals	CE, CB, CQC, CCC, Rohs, ERP, SGS, TUV Saar
Noise level	18dB - 55 dB		
Voltage / Power	220V/50Hz/90W		
Negative ion purification	20 Million/cm3		





SCAN FOR MORE
INFORMATION

Revolutionary method for cleaning escalators

With a unique combination of techniques from EscaTEQ and Excentr, you can clean escalators in the most fast and effective way, with minimal disruption to visitors.

Making the cleaning of escalators so quick, easy and cost effective, that they are cleaned with the same frequency and regularity as all other floor surfaces. In this way, we will ensure that escalators around the world become safer, more beautiful and more pleasant for the millions of people who walk on them every day.





SCAN FOR MORE
INFORMATION

EXCENTR CHEMICALS

EXCENTR PANOX



EXCENTR A1

ARTICLE NR:
110056

Extra strong acid detergent with a bite, for removing all lime & cement films.

Indispensable for the professional! Do not apply on acid sensitive materials. Recommended dosage 10 - 20%. Respect a processing time of a few minutes for optimal results! In case of pure use, never let it work in for longer than 3 minutes. PH value is 1. Ideal product in combination with the Excentr Method!



EXCENTR D14

ARTICLE NR:
110058

The Excentr D14 is a powerful, highly alkaline detergent with a bite, made for removing greasy and oily contaminants.

Essential for the professional! Dosage between 10 and 20 % in extreme cases higher dosage for better results! Respect a processing time of a few minutes for optimal results! PH value is 13,5. Ideal product in combination with the Excentr Method!



EXCENTR MARKS REMOVER

ARTICLE NR:
110059

The Excentr Marks Remover is intended for removing of (rubber) marks on, for example, concrete.

Effective against, for example, marks caused by forklift and reach truck tires. Can also be used in showrooms. Dosage between 10 and 20%, allow a few minutes of processing time for optimal results. This product works perfectly in combination with the Excentr Method + **Pink pad!**



EXCENTR STRIP+

ARTICLE NR:
110060

The Excentr Strip+ is a heavy stripper. Ideal for removing extreme build-up of polymer!

Attention: This product is only suitable for the professional who knows the risks of chemical stripping on linoleum/marmoleum, etc.! Dosage between 10 and 30%. Test the exposure time in order to be able to handle an optimal working process! Neutralization/rinsing afterwards is advised! Ideal product in combination with the Excentr Method and Excentr extreme pad!



EXCENTR CLEAN EXPERIENCE+

ARTICLE NR:
110057

The Excentr Clean Experience+ is made for creating the optimal fragrance experience!

The enchanting aromatic fragrance sensation will remind your customer of your craftsmanship for hours to come! Dosage according to desired fragrance experience between 5 and 15%. Ideal product in combination with the Excentr Method!



PANOX 300

ARTICLE NR:
110070 (0,75L)

For all water-resistant surfaces.

Suitable for disinfection of all water-resistant surfaces, equipment and piping systems. Based on hydrogen peroxide and peracetic acid. Applicable in the drinking water, swimming pools, public health, veterinary, food and feed sectors. Approval in PT02, PT03 & PT04. Available in 750 ml spray bottle, 1 liter bottle, 5 liter jerry can and 10 liter jerry can.

- Kiwa-ATA certified K83315/02
- CtgB Approval number 14798 N
- Halal Certified: 1051050729
- EU dossier EU UA APP No: BC-SB034343-54



PANOX 1816

ARTICLE NR:
110067(10KG)

Concentrated disinfectant.

Concentrated disinfectant based on hydrogen peroxide and low content peracetic acid with special "wetting agents". Intended for the disinfection of surfaces, equipment, utensils, pipes, water tanks and rooms. Applicable in the drinking water sector (legionella control), swimming pools, public health, veterinary, food and animal feed sectors. Authorization in PT02, PT03 & PT04.

Leaves no residue when used correctly. Self-acting and colourless with a slight vinegar odor which can be easily identified during processing. For the removal of organic pollution (biofilm) and legionella in (drinking) water (piping) systems. Laboratory-tested and proven to work according to the most important and highest standards of effectiveness against numerous micro-organisms. Available in 1 KG bottle, 10 KG jerry can and 20 KG jerry can.

- Kiwa-ATA certified K83315
- CtgB Approval number 13655 N.
- Halal-certified: 1051050729
- EU dossier EU UA APP No: BC-SB034343-54
- Virus claim, including for the control of the Coronavirus, Covid-19



More information about Excentr Panox





SCAN FOR MORE
INFORMATION

FLOOR APPLICATIONS

CLEANING & DEEP CLEANING

Cleaning with the Excentr Method

The Excentr Method takes floor cleaning to a whole new level. Thanks to the 2850 movements per minute and the pad pressure of up to 120 kg, the effectiveness is unrivalled. The machine can be used for both light and heavy duty cleaning tasks.

Deep cleaning with the Excentr Method

Deep cleaning on floors is also possible with the Excentr Method. Due to the small movement of the machine, the pads (mainly Fiber pads and brushes) get the chance to get deeper into the surface. With every small movement of the machine, sharp fibers stick into the joint or the structure, resulting in a deep and thorough cleaning.



TOP & DEEP STRIPPING

Strip four times faster with the Excentr Method

Strip up to 4x faster with the Excentr Method! Thanks to the 2850 rpm and high pad pressure, both top and deep stripping is easier than ever. The Excentr Method offers you the possibility to strip dry, with only water or traditionally with stripper (chemicals).

Extreme build-up / edge build-up

In case of extreme build-up and/or edge build-up, the floor can first be stripped/grinded with a sanding net. Use grain 60 / 80 or 100, depending on the build-up, to remove the first layers of polymer. Try to remove approximately 80% of the polymer. Then continue with the method described above in order not to damage the floor itself with the aggressive grinding net. In case of edge build-up you can choose to cut the sanding net over the long side and place it on a normal stripping pad. Then work with the long side of the machine (sideways) over the edge build-up in order to only aggressively remove the edge build-up with the grinding net. Pay close attention during the above processes. If you strip too far with these coarse and aggressive grinding grids, damage may occur to the surface.

3 ways of stripping

There are several ways in which floors can be stripped. In our view, the "wet method" is the most efficient.

Dry method

If you want to strip dry, you want to prevent dust to become airborne. That is why we recommend the Excentr Splash & Dust Guard in combination with the Excentr Dust Control vacuum. In this way you work without airborne dust and you also pick up about 50% of the dust from the floor. The dry method can have many advantages over wet methods in specific cases. To be able to strip properly you use pads with an addition of diamond or aluminum oxide.



GRINDING, RENOVATION & POLISHING

Effective grinding, renovation & polishing of natural stone

The Excentr Method is a very effective method for the renovation, polishing and maintenance of stone. Every stone can be cleaned. Every calciferous stone can be renovated, polished and cleaned. Think about marble, Chinese bluestone, Belgian bluestone, terrazzo etc.

Renovation

Renovating a natural stone floor is only possible when the stone is calcareous. To make sure that the surface to be renovated is calcareous, we always recommend that an acid test be carried out first in a place that is not usually visible. Keep clean water and a dry microfiber cloth at hand. Then apply one drop of pure descaler/acid (ph 1 or 2). If the product turns white, then absorb immediately and rinse with clean water. When the product turns white, you can be sure that the surface is calcareous and can therefore be renovated and polished. If the product does not turn white, the floor is not calcareous. Rinse with clean water afterwards. If the product does not turn white, you can only clean the surface with the Excentr Method.

Polishing

The final steps in the renovation process are the polishing steps. With the Excentr Method the surface can be finished on both a silky gloss and a high gloss.

Maintenance

After renovation the floor can be cleaned daily with the last used pad from the renovation process. For example: if the floor is finished with the EDS 3000 for a silk gloss, this is the pad for daily cleaning. These pads are also available at e.g. 17" for use under a scrubber/dryer. The use of detergent is not necessary.



SANDING AND FINISHING

Sanding and finishing on a wooden floor

The Excentr Method makes working on a wooden floor accessible to any cleaning professional. Because of the perfect balance and constant pressure and movement, the risk of damage and method errors is considerably reduced. With the Excentr machines you can clean, sand and finish wooden floors. Always use the Excentr Dust Control Vacuum together with the Excentr Splash and Dust guard control airborne dust.

Cleaning

In general, the Excentr Method works with less water. This is certainly a big advantage on wooden floors, as they are often sensitive to water. Cleaning is done depending on the degree of soiling with the Excentr Soft or Hard Micro pads. Moisten the pad until it is damp. You can work approximately 40 m² (depending on amount of dirt), turn the pad and use the other side. The pads can be washed after usage, don't use fabric softener.

Sanding and finishing

Sanding a wooden floor is known as a very specialized job. The Excentr machines make this specialism a lot more accessible. Because of the stability in movement, pressure and performance it is fairly easy to sand a wooden floor. After sanding, it is possible to use the machine to spread and rub-in different oils and waxes. A big advantage with the short movement is that the oil doesn't splash when rubbing it. It is also possible to use the Diamond pads to mechanically "densify" the wood.



PREPARATION OF SURFACES

Surface preparation with the Excentr Method

Think of sanding / rough-up a coated floor, removing coatings, or removing glue residues. The machines are also frequently used to prepare, for example, PVC floors, scratch in old PU finishes and then apply a new finish.



Pads, sanding nets and sandpaper

For these applications we use bonded diamonds, pads with diamond, pads with aluminum oxide, sanding nets and sandpaper. The choice of weight often determines the speed and quality of the work during preparation jobs. Increasing the pressure usually gives a better result.

Because preparations are often carried out dry, we recommend using the Excentr Dust Control vacuum in combination with the Excentr Splash & Dust Guard.

Renovation, polishing, sanding, grinding and preparation without chemicals

The Excentr Diamond System (EDS) is a new concept: pads, discs and strips (metal bonded diamond discs & strips). The active parts in the pads, discs and strips of the Excentr Diamond System guarantee a constant effect with a high performance and a long lifetime. The Excentr Diamond System gives you the possibility to renovate, polish, sand, grind and prepare surfaces. Polishing is possible up to high gloss with this system. Usually the use of chemical products is not necessary, this makes the Excentr Diamond System very ecofriendly and safe to use.

EDS - Excentr Diamond System


With the EDS pads, floors can be cleaned, maintained, renovated and finished (polished). Renovation on natural stone can be done on a more traditional method, in 3 steps. But the pads are also excellent for making combinations between several steps or even resin-bonded diamonds. As soon as you use pads, resin bond diamonds or metal bond diamonds, we always advise to touch the surface at least 4 times (2 times back and forth). In addition, we advise to work crosswise (1 x back and forth north/south, 1 x back and forth east/west). Always use plenty of water, and vacuum water every time you change pads, discs or strips. To achieve good results you always need to do several steps. The maximum follow-up per step is a doubling of the used step. So you start with 400 grit, the next step is a maximum of 800 grit and so on. The only exception is the step between 3000 and 8000, which you can use consecutively.

TIP: Do you go from resin/metal bonded material to pad material for finishing? Then use your last used grit as an entry step for the pad. In short, if you end up with 800 grit resin bonded, use the 800 grit pad as the next step.

EDS Pads

The EDS pads are the most commonly used tools in the system. The pads are available for all Excentr machines and in different coarse grit sizes.

- 100 grit
200 grit
400 grit → These are grinding steps. Choose the 100, 200 and/or 400 grit only for very heavy damage. The coarser the grit, the more orange peel will appear on the surface.
- 800 grit
1500 grit
3000 grit → These 3 basic steps are able to reduce a slightly damaged surface to a silky gloss finish.
- 8000 grit → Use this step after the 3000 when you want more shine. You can let this pad pass the surface as often as you want, the more passes, the more gloss.



EDS Discs




Resin bond

For the professional who has experience in working with natural stone, we also have resin diamond bonded discs available for our Excentr 43. These grind more aggressively (from 50 grit), and because they grind considerably more material away from the surface, we are able to repair heavier damage.




Metal bond

The EDS Metal discs are intended for the advanced user. They are more aggressive in the application areas for grinding (sanding) and preparation of various floors. The EDS Metal discs are usually applied when there are deeper scratches, acid stains and/or other heavier disturbances in the surface. These strips are more aggressive and work deeper than the EDS pads. We recommend these strips mainly for removing adhesive residues, removing or grinding coatings and preparing concrete floors. The possibilities are very extensive and therefore knowledge is required.





PAD APPLICATIONS




EXCENTR Fiber Pad

The Excentr Fiber Pad is a hard fibre pad specially developed for deep cleaning on uneven surfaces, textured floors, safety non-slip floors, joints, etc. This fibre in combination with the Excentr method ensures exceptional deep cleaning and amazing results. Often the use of chemicals is unnecessary, but use plenty of water!



EXCENTR Pink Pad

The Pink pad is ideal for cleaning and scrubbing even, flat floors. The pad has a very good cleaning effect and despite its cleaning power, it is not too sharp for sensitive surfaces. The pad can be used with just water, or in combination with a cleaning detergent.



EXCENTR Magic Pad

The Excentr Magic Pad is a melamine pad that is very suitable for thorough cleaning of many types of floors. The pad works very well as a problem solver, and because of its spongy structure it has the power to remove dirt from microporous surfaces. Always use these pads wet. Not suitable for varnished floors. Always test this pad in a corner to check its function and prevent damage.



EXCENTR Strip Alu Pad

The Strip Alu pad is the solution for professionals who want to strip linoleum faster and better. The thousands of sharp aluminium oxide particles easily grind/strip polymer from the linoleum in a controlled way and without damage (if used correctly). The pad can be used dry or with water. Use of stripper is not necessary.



EXCENTR Hard Micro Pad

The Hard Micro Pad is a very effective microfibre pad with scrub strips in it. The black scrub strips, scrubs the surface while the white microfibre strips absorb the dirt. So you can scrub and absorb dirt at the same time. In combination with the Excentr 43, this pad is also very suitable to clean carpets with.



EXCENTR Soft Micro Pad

The Soft Micro Pad is a soft microfibre pad that can be used on two sides. The pad has a high absorption capacity, and is very suitable for delicate surfaces. Ideal for removing residue build-up and in combination with the Excentr 43 this pad is also great on carpets.

	Ceramic tiles	Anti-slip and safety floors	PVC	Sports floors	Linoleum	Natural stone	Concrete	Epoxy & cast floors	Wood	Rubber	Carpet *Use Excentr 43
EXCENTR Fiber Pad		Recommended	Possibility			Possibility				Possibility	
EXCENTR Pink Pad	Recommended		Recommended	Recommended	Recommended	Recommended	Recommended	Recommended		Recommended	
EXCENTR Magic Pad	Recommended	Contact Excentr	Contact Excentr	Contact Excentr			Contact Excentr	Contact Excentr		Contact Excentr	
EXCENTR Strip Alu Pad			Contact Excentr		Recommended		Contact Excentr	Contact Excentr	Contact Excentr		
EXCENTR Hard Micro Pad	Possibility	Possibility	Possibility	Possibility	Possibility	Possibility	Possibility	Possibility	Recommended	Possibility	Recommended
EXCENTR Soft Micro Pad	Possibility	Possibility	Possibility	Possibility	Possibility	Possibility	Possibility	Possibility	Recommended	Possibility	Recommended

Recommended

Contact Excentr

Possibility



EXCENTR Red Pad

Traditional red pad for scrubbing or buffing floors. This pad has a light cleaning power and is safe for almost any surface.



EXCENTR Extreme Pad

The Excentr Extreme pad is made for the toughest stripping, cleaning and prep work. The hard open fibre ensures a perfect drainage of the dirt, keeping your pad clean and sharp. Because no special particles such as diamonds have been added to this pad, the combination of pad plus a cleaning detergent is recommended.



EXCENTR Sanding Nets

The sanding nets can be used as a problem solver with for example multiple layers of polymer on linoleum and marmoleum flooring, the sanding nets are often used to remove edge build-up without chemistry. Attention, this can cause damage in case of improper use.



EXCENTR PolyBrush

The Excentr Poly Brush has been developed for deep cleaning various hard and resilient floors. Thanks to the active polyester fibers, you clean into the deepest microscopic grooves without the pad getting clogged with dirt.



EXCENTR EDS Pads

With the EDS (Excentr Diamond System) it is possible to easily grind and polish calciferous natural stones. The thin pads ensure a very direct transfer of energy, and create less orange peel than traditional diamond pads. You can find more information about this on page 30.



EXCENTR Sia Sandpaper

Sand paper of the highest quality and mainly developed for sanding wood. Available in different grains, from very coarse to very fine. You can find more information about this on page 31.

	Ceramic tiles	Anti-slip and safety floors	PVC	Sports floors	Linoleum	Natural stone	Concrete	Epoxy & cast floors	Wood	Rubber	Carpet *Use Excentr 43
EXCENTR Red Pad	●	●	●	●	●	●	●	●		●	
EXCENTR Extreme Pad			⚡		⚡		⚡				
EXCENTR Sanding Nets	⚠	⚠	⚠	⚠	⚠		⚠	⚠	⚠	⚠	
EXCENTR PolyBrush	⚡	⚡	⚡	●	●	●	●	●	⚠	●	
EXCENTR EDS Pads					⚠	⚡	⚡	●		●	
EXCENTR Sia Sandpaper					⚠				⚡		

⚡ = Recommended

⚠ = Contact Excentr

● = Possibility



SCAN FOR MORE
INFORMATION

FLOOR TYPES

CERAMIC TILING

Cleaning ceramic tiles is not always easy. The often microporous structure allows the dirt to adhere stubbornly to the surface and even get a little inside. We recommend working with clean water on ceramic tiles, and therefore no cleaning agents.

Magic pad for high traffic zone

Choose the pink pad in case of light soiling. For heavier soiling on ceramic tiles we recommend the Excentr Magic pad. Only use detergent when there is a lot of limescale or grease.

Tip: Do you have a ceramic tile in a high traffic zone? Then use the Excentr Magic pad periodically, and maintain the floor daily/weekly with the Pink Pad!



PVC FLOORING

PVC is an emerging product. In principle, we can only clean PVC floors and deep clean them. Deciding what to do is simple: is your floor flat? Then choose the pink pad for cleaning. Does your PVC floor have structure? Then clean it with a fiber pad! The use of chemicals is not necessary in this method. Use a normal amount of water, the floor should not be flooded!

Since in many cases a PVC floor is standard finished with a PU layer, it is not the intention to strip these floors and apply polymers. When scratches occur in the PU finish, there are ways to repair this. This renovation of PVC floors basically comes down to scratching the existing PU finish, and re-apply a new PU layer.



NON-SLIP AND SAFETY FLOORS

Deep cleaning on floors is possible with the Excentr Method. Due to the small movement of the machine, the pads (mainly Fiber pads and brushes) get the chance to get deeper into the surface. With every small movement of the machine, sharp fibers stick into the joint or the structure, resulting in a deep and thorough cleaning. Most of the time, the problem on floors with structure is (soap)residue, that is why we always advise to first try to work with only water. In case there is a lot of lime scale on your tiles, you can choose to work with the Excentr A1 (detergent). When there is a lot of grease, you can use the Excentr D14 (detergent).

Cleaning problems

Cleaning problems on non-slip floors are common: Sanitary areas, kitchens, swimming pools, porches and changing rooms. In 95% of the cases we recommend the Excentr Fiber pad for textured floors, it also cleans the joints.



SPORTFLOORS

Maintaining and cleaning sports floors is not always easy. The high frequency of use and occasional other activities to which the sports floor is exposed make stability in safety, slip resistance and appearance a difficult task. For the cleaning of sporting floors we recommend a cleaning and maintenance plan consisting of 2 activities: daily/weekly cleaning with the Excentr Pink pad, and periodic cleaning with the Magic pad.

Magic pad for high traffic zone


In the above description we talk about cleaning sports floors made of plastic/rubber. The maintenance and cleaning of wooden sports floors is also possible with the Excentr Method. We have very good results with the removal of resin etc. from wooden sports floors. Ask for a tailor made advice (free of charge and without any obligations).

RUBBER FLOORS

Cleaning, deep cleaning or repairing a rubber floor starts with identifying what type of rubber floor you have. Is your floor flat? Then choose the pink pad for cleaning. Does your rubber floor have structure? Like a rubber floor with nubs? Then clean it with a Fiber Pad! The use of chemicals is not necessary in this method.

Rubber floor renovation

Can't clean your rubber floor anymore? Then you are able to renovate the floor. Renovation on a rubber floor can only be done when the floor is flat (without structure). You can renovate rubber floors in 3 steps, without chemicals, with only water and the right pads. Required pads are EDS blue, EDS yellow and EDS green.



NATURAL STONE

The Excentr Method is a very effective method for the renovation, polishing and maintenance of stone. Every kind of stone can be cleaned. Every calcareous stone can be renovated, polished and cleaned. Think about marble, Chinese hardstone, Belgian blue stone, terrazzo, etc.

Renovation

Renovating a natural stone floor is only possible when the stone is calcareous. To make sure that the surface to be renovated is calcareous, we always recommend to do an acid test first. Keep clean water and a dry microfiber nearby. Then apply one pure drop of descaler (ph 1 or 2) in a corner or at another place that is out of sight. Does the product turn white? Then absorb immediately and rinse with clean water. When the product turns white, you can be sure that the stone is calcareous and therefore can be renovated and polished. If it does not turn white, you can use the Excentr Method for only cleaning the surface.

Maintenance

After renovation, the floor may be cleaned daily with the last used pad from the renovation process. If the floor is finished with the Diamond Pad Green, this is the pad for daily cleaning. These pads are also available at e.g. 17" for use under a scrubber/dryer.

Cleaning

Natural stone floors can safely be cleaned with the Excentr Method. Thanks to the effective movement you only use water and no dangerous chemicals.

Polishing

The final steps in the renovation process are the polishing steps. With the Excentr Method the surface can be finished on both a silk gloss and a high gloss.


CONCRETE & COATED CONCRETE

Having trouble cleaning concrete? Or removing forklift truck wheel marks from your coated floor? Excentr has the answer to many of these challenges. Due to a high RPM, and a lot of pressure on the pad or brush, we are able to achieve great results.

Our chemical line also supports problem cases that we often see as tire marks on concrete, grease and oily stains. Another possibility is to grind and polish concrete and coatings with our system. This allows the user to prepare a surface for any further finishing, coating or painting.

Specific problems for concrete

For many other specific problems on concrete, such as the removal of coatings and adhesive residues from concrete, we advise you to contact us. These cases are often so specific that customized advice is required. This is always free and without any obligations.



WOODEN FLOORING

The Excentr Method makes working on a wooden floor easy for any cleaning professional. Because of the perfect balance, constant pressure and movement, the risk of damage and method errors is considerably reduced. With the Excentr machines you can clean, sand and finish wooden floors. Always use the Excentr Dust Control Vacuum together with the Excentr Splash and Dust guard to reduce airborne dust.

Cleaning

In general, the Excentr Method uses less water. This is certainly a big advantage on wooden floors, as they are often sensitive to moisture. Cleaning is done depending on the degree of soiling with the Excentr Soft- and Hard Micro pads. Moisten the pad until it is humid. Then work approximately 40 m² and then use the other side of the pad. The pads can be washed afterwards without fabric softener.

Finishing

After sanding it is possible to use the machine to spread and rub in different oils and waxes. A big advantage is that the short movement of the machine makes the product less splash away and therefore there is little or no splashes. It is also possible to use the Diamond pads to mechanically densify the wood.



Sanding

Sanding a wooden floor is known as a very specialized job. However, the Excentr machines make this specialty a lot more accessible. Because of the stability in movement, pressure and performance it is quite easy to sand a wooden floor.



LINOLEUM & MARMOLEUM FLOORS

Linoleum is a common floor. It is also a floor that offers many possibilities for the Excentr Method. The linoleum floors can be cleaned well with the Excentr machines. Choose a Pink Pad in combination with water!

Most common treatment for linoleum and marmoleum is the removal of old polymer/ wax layers!

Top- and Deepstripping

Thanks to the 2850 rpm and high working pressure, both top and deepstripping is easier than ever with the Excentr machines. The Excentr Method offers you the possibility to strip dry, with only water or to traditionally strip with a stripper.

Dry stripping

If you want to strip dry, you prefer to do this without dust. That is why we recommend the Excentr Splash & Dust Guard in combination with the Excentr Dust Control vacuum. In this way you work without airborne dust and you also pick up about 50% of the dust from the floor. The dry method can have many benefits in specific cases compared to wet methods. To be able to strip properly you use pads with an addition of diamond or aluminum oxide.

Wet stripping

In our opinion, the wet method is the most efficient. It strips with a minimum amount of water and without the addition of a stripper. This gives many advantages: no expensive stripper, no risk of burning/ discolouring surface, no neutralization, no slippery floor, etc. You can choose to first apply the surface with water, but you can also apply the water directly from the Excentr Solution Tank to the surface. This method has many advantages compared to dry stripping. The pad rinses itself and therefore remains more consistently sharp, the removed wax will float and is, as long as the floor remains moist, easy to remove with the water vacuum cleaner. To be able to strip well without a stripper, use pads with an addition of diamond or aluminum oxide.

Extreme build-up / edge build-up

In case of extreme build-up and/or edge build-up, the floor can first be stripped/grinded with a grinding net. Use grain 60 / 80 or 100, depending on the build-up, to remove the first layers of polymer. Try to remove approximately 80% of the polymer. Then continue with the method described above in order not to damage the floor itself with the aggressive grinding net. In case of edge build-up you can choose to cut the grinding net over the long side and place it on a normal stripping pad. Then work with the long side of the machine (sideways) on top of the edge build-up in order to aggressively tackle only the edge build-up with the grinding net. Pay close attention during the above processes. If you strip too far with these rough and aggressive grinding nets, damage to the surface may happen.



Traditional stripping

The third option is the most traditional way. Here you work with a solution of water and a stripper. In this method you apply the solution to the floor, let it soak in and then strip the surface with a hard traditional pad. With this method, the profit is mainly in the speed, the ease of use and the shape of the machine.

BRANCHES

CLEANING COMPANIES

Better results in less time with the Excentr Method

Cleaning companies today face changing challenges. The demand to clean without cleaning agents, to do more in less time, to maintain increasingly sophisticated floor finishes, and to work with changing employees. These challenges have been the basis for developing the Excentr Method. The method is based on simple concepts that are applicable to everyone, even people without experience in floor maintenance. Based on floor cleaning or processing without cleaning chemicals, and always with the aim of achieving significant time and quality gains compared to traditional cleaning methods (single-disc machine). The Excentr machines are also rectangular, this shape ensures that you can clean effortlessly against the edges, and work right into the corners! In short, floor maintenance in a simple and eco-friendly way with better results in less time!

Employability Excentr Method for cleaning companies

Cleaning non-slip and safety floors

This is thanks to special pads that guarantee deep cleaning. In this way you not only clean the top, but the entire structure including the joints. Thanks to the effective movement, you can clean anti-slip floors without cleaning products! Ideal for use in kitchens, sanitary facilities, porches, etc.

Cleaning of heavily soiled floors

In, for example, industrial environments or garages. Greasy dirt on concrete floors, black stripes on coated concrete, all problems we can solve with the Excentr Method!

Linoleum stripping

Both linoleum/marmoleum deep stripping and top stripping is very simple with the Excentr Method. Stripping without stripper (chemical free stripping) is the recommended method. We recommend to use the Excentr machines in combination with our Strip Alu pads. These pads contain aluminum particles that simply mechanically scrape off the wax layers. Stripping of floors can be done with our method both dry and wet.

Cleaning, polishing or renovating natural stone floors

Simple and chemical free. By using EDS pads (Excentr Diamond System) you can process natural stone in a number of steps. You can easily clean, polish and/or renovate natural stone floors such as marble and Belgian bluestone.



SCAN FOR MORE
INFORMATION

SPORTS FACILITIES AND SWIMMING POOLS

Excentr for sports facilities and swimming pools

Do you manage a sports facility or swimming pool? Especially for your specific needs, we have developed some concepts to make floor maintenance easier. Anti-slip tiles, (cast) safety floors, tiles with many joints, all of which are not easy to clean due to their structure. You will undoubtedly find them in your sanitary facilities, shower area or around the swimming pools. The structure in combination with lime, skin oils, shampoo and soap residues makes it difficult to keep these floors in good condition. The Excentr machines work in a different way than traditional cleaning machines, and because of this they can be used very well in your specific environment.

Simple and fast

By using special deep-cleaning pads, and using the Excentr Method which cleans at 2850 rpm, you will effortlessly clean in many cases the structure and any joints. Because the machines are rectangular, you will also get into the corners and against the edges.

Contrary to traditional cleaning machines, a big advantage is that everyone can operate our machines, no training or technique is needed! Your team will work relaxed and ergonomically.

Sports floors themselves are in many cases also surfaces where profits can be made. The roughness is often not entirely in order due to the build-up of all kinds of soiling. Even when working daily with a traditional scrubber/dryer, a film slowly builds up. In order to keep your sports floor safe and in good condition, a special concept has been developed that will give your floor the desired looks and properties again.

Cleaning your sports floor with the Excentr Method is easy and fast! Do you have more types of floors on your location(s), take a look at our page for applications. The machines of Excentr are available in different sizes, for small spaces (sanitary/shower) to large surfaces!

HEALTH CARE

The Excentr Method in Health Care

Are you a facility manager of a healthcare institution or hospital? We have developed a number of concepts especially for your specific challenges! In an environment where a safe floor may be more important than average, safety floors are often chosen, especially in the wet and semi-wet room. Anti-slip tiles, (cast) safety floors, tiles with structure and lots of joints, all floors that are safe, but because of their structure not easy to clean. You will undoubtedly find them in your sanitary facilities. The structure in combination with lime, skin oils, shampoo and soap residues makes it difficult to keep these floors in good condition. The Excentr machines work in a different way than traditional cleaning machines, which makes them very suitable for use in your specific environment.

Relaxed and ergonomic working

By using special pads in combination with our unique movement, our machines effortlessly clean structure and joints. Because the machines are rectangular, you also get into the corners and against the edges. Contrary to the traditional cleaning machines, a big advantage is that everyone can operate our machines, no training or technique is needed! Your team will work relaxed and ergonomic from the first minute! Your other floors such as PVC, Linoleum, ceramic tiles and natural stone have also been thought of. Read more about this on our application page. The simple cleaning and maintenance methods have been developed in such a way that you do not have to use professional cleaning staff to expect a professional result. Certainly in the care sector where care personnel are often deployed partially for this task. Our system is based on the use of clean water without the use of chemicals (detergent). Available in different sizes, for small spaces (sanitation/shower) to large surfaces!

HOSPITALITY INDUSTRY

One machine for all floors in the hotel


There are few buildings where the diversity of floors is as great as in the hospitality industry. Carpet, natural stone floors, pvc floors, non-slip floors, safety floors/cast floors in kitchens, etc. This diversity forces the facility manager to think carefully about the type of machine he is going to use. Imagine, only 1 machine for all maintenance applications? Excentr has successfully taken up this challenge. Excentr has developed a machine that is able to clean carpet as well as hard floors. A machine that guarantees depth cleaning, and can be used for polishing natural stone floors.

Cleaning without chemicals

The complete concept is based on the use of water and special pads. You no longer need to use any detergent to clean your hard and soft floors. The movement of the machine is different from that of traditional cleaning machines so the quality goes up and you can work many times faster!

Carpet cleaning with the Excentr Method is fast, deep (thorough), easy, and after an average of 15 minutes your floor is dry again! During and immediately after cleaning, your carpet can be walked on, so you can use this system on normal business hours!

For your hard floors you have several options, such as cleaning, polishing, deep cleaning, sanding, etc. The machines themselves are light in use, and can be operated by people who have no background in professional cleaning. Available in different sizes, for small spaces (sanitation/shower) to large surfaces!



ABOUT US

EXCENTR


Excentr is a young Dutch manufacturer of innovative cleaning machines. Since the beginning of 2015 we are active worldwide and we tell professionals about the Excentr Method to, mainly in the cleaning industry. We develop machines with a focus on durability, solidity and efficiency. In our machines you will only find quality parts.

Our machines are therefore largely made of stainless steel. We produce our machines with the greatest care and are convinced that they are "extremely solid". We always give at least 12 months warranty and even a lifetime warranty on our machines with a service contract.

The origin of Excentr lies with Niek Besuijen and Rinaldo Meeuwse. Rinaldo is responsible for the development and production of the Excentr machines. Niek takes care of the commercial activities. Excentr produces the Excentr machines and accessories in Heinkenszand, in the Dutch province of Zeeland.



SCAN FOR MORE
INFORMATION





Advice

Getting some advice can prevent a lot of trouble and damage. After all, there is always a solution for your specific cleaning problem. Together with you, Excentr can see where the problems come from. Based on the joint findings you will receive a thorough advice.

Training and workshops

In order to achieve the most optimal results with the Excentr Method, a training can be the right thing to do. We are ready to pass our knowledge on to you. We offer a range of standard and tailored training programs for your specific needs, at your location or at the location of Excentr. We advise all our customers/users to attend this workshop because the possibilities of the machines are unprecedented. In order to come to a choice of the right cleaning equipment that will give a maximum result in your situation, Excentr provides free demonstrations without any obligations. These can be done at your location as well as at our Experience Center in Breda.



Sustainable entrepreneurship

Excentr uses its development, purchasing and production power to create a positive social impact locally. People, place, product and planet are central to this.

People and place

By purchasing locally, producing and growing as a company, we create jobs. We fill these jobs, in the places that lend themselves to it, by employing people with a distance to the job market. This has worked very successfully in our production & logistics since the foundation of Excentr.

Product and planet

The Excentr machines are produced from a vision. We make exceptionally good products and do so with the smallest possible ecological footprint. Our machines and accessories consist for 100% of durable & recyclable materials such as stainless steel and aluminum. Our floor pads are made of 100% recycled material. Another special feature is that these are the world's first biodegradable floor pads.



NOTES

Blank lined area for notes on page 58.

Blank lined area for notes on page 59.





EXCENTR METHOD THE TECHNOLOGY OF THE FUTURE

AMPÈREWEG 12 / 4631 SP HOOGERHEIDE / NL / +31 (0)88 1700 601 / INFO@EXCENTR.COM

WWW.EXCENTR.COM